


**To:** Evangelista, Pat[Evangelista.Pat@epa.gov]; Shore, Berry[Shore.Berry@epa.gov]; Rodriguez, Elias[Rodriguez.Elias@epa.gov]  
**From:** Enck, Judith  
**Sent:** Wed 7/27/2016 8:08:06 PM  
**Subject:** FW: Google Alert - PFOA

**From:** Google Alerts [mailto:googlealerts-noreply@google.com]  
**Sent:** Wednesday, July 27, 2016 4:03 PM  
**To:** Enck, Judith <Enck.Judith@epa.gov>  
**Subject:** Google Alert - PFOA

<b>PFOA</b>	
Daily update <input type="checkbox"/> July 27, 2016	
NEWS	
<b><u>Bennington blood tests show high PFOA</u></b>	
Albany Times Union	
BURLINGTON, Vt. — Blood tests of 477 Bennington-area residents found the chemical <b>PFOA</b> in their systems at an average level almost five times the ...	
<a href="#">Blood tests find five times average level of PFOA, state says - vtdigger.org</a>	
<a href="#">State: Elevated PFOA found in blood tests - Rutland Herald</a>	
<a href="#">Vt. Health Department Releases Results From PFOA Blood Tests - My Champlain Valley FOX44 &amp; ABC22</a>	
<a href="#">Full Coverage</a>	
<input type="checkbox"/>	<a href="#">Flag as irrelevant</a>
	
<b><u>First PFOA personal injury lawsuit filed in Hoosick Falls</u></b>	

NEWS10 ABC


The complaint states the chemical **PFOA** directly caused illnesses that Donovan now lives with. Governor Andrew Cuomo recently signed a bill into ...

Hoosick Falls Residents Confused & Anxious About **PFOA** Blood Tests - Legal Examiner

Full Coverage



[Flag as irrelevant](#)




Pickaxe Threat, Heat Wave, **PFOA** Update, Drunk Driving Crash Arrest: NH Right Now

Patch.com

Plus, a power outage, indictments, mobile food pantry helps families, Marijuana Policy Project endorsements, farmers' markets, volleyball.



[Flag as irrelevant](#)



First Personal Injury Lawsuit Connected to Hoosick Falls Water Contamination Filed

TWC News

The lawsuit also alleges that St. Gobain and Honeywell knew or should have known that disposing **PFOA** posed dangers to the environment and ...



[Flag as irrelevant](#)


Warrington residents want water answers sooner rather than later

The Intelligencer

Since 2014, five of the nine public wells in the township have been shut down after tests detected levels of perfluorooctanoic acid (**PFOA**) and ...




[Flag as irrelevant](#)



## Coakley Landfill Test Update: All Results Below State Standards

Patch.com

Residential well water results near the former landfill show "non-detect to low level concentrations" of perfluorochemicals **PFOA** and PFOS.



[Flag as irrelevant](#)

## Residential Wells Near Coakley Landfill Test Below State Threshold for PFCs

New Hampshire Public Radio

Residential water sources near a Superfund site on the Seacoast have tested below the state's standard for perfluorichemicals - including **PFOA**.



[Flag as irrelevant](#)

You have received this email because you have subscribed to **Google Alerts**.

[Unsubscribe](#)

[Receive this alert as RSS feed](#)

[Send Feedback](#)